


DELGADA™ SERIES



PAL
ARCHITECTURAL

A versatile, multi-distribution lighting solution driven by an advanced-generation LED source. Precisely designed optics deliver an outstanding combination of performance and distribution.


FEATURES

- Available with medium- or high-output settings
- Factory-programmable drivers allow for customized output to perfectly suit your application
- Slim rectangular and curved profiles complement any design in public and private spaces
- Dimming options of 100%-10%, 100%-5%, 100%-1% and 100%-0% available
- Suspended and wall mounting design options
- Delgada LED enables you to illuminate your space using fewer fixtures
- Narrow direct aperture reduces glare without limiting performance
- Four different distribution choices expand your design options
- With efficacies as high as 121 Lm/W, Delgada LED combines superior performance with significant cost savings
- Extruded aluminum construction and precision die castings ensure the high level of quality you and your customers expect






0% ↑ 100% ↓




25% ↑ 75% ↓

OUTPUT	DEL. LMS - UP	DEL. LMS - DOWN	EFFICACY
MEDIUM (HO)	0	3020	99 Lm/W
HIGH (HO)	0	4567	93 Lm/W
CUSTOM (CO)	Contact Factory		

OUTPUT	DEL. LMS - UP	DEL. LMS - DOWN	EFFICACY
MEDIUM (HO)	851	2238	101 Lm/W
HIGH (HO)	1291	3390	95 Lm/W
CUSTOM (CO)	Contact Factory		



40% ↑ 60% ↓



60% ↑ 40% ↓


OUTPUT	DEL. LMS - UP	DEL. LMS - DOWN	EFFICACY
MEDIUM (HO)	1320	1960	108 Lm/W
HIGH (HO)	2001	2956	101 Lm/W
CUSTOM (CO)	Contact Factory		

OUTPUT	DEL. LMS - UP	DEL. LMS - DOWN	EFFICACY
MEDIUM (HO)	2308	1403	121 Lm/W
HIGH (HO)	3494	2122	114 Lm/W
CUSTOM (CO)	Contact Factory		


DELGADA



CABLE




CURVED EXTENDED END




CURVED WALL MOUNT



RIGID STEM




CURVED FLAT END




CURVED SUSPENDED




SWIVEL STEM




RECTANGULAR EXTENDED END




RECTANGULAR WALL MOUNT



WALL MOUNT



RECTANGULAR FLAT END



RECTANGULAR SUSPENDED



90° CONNECTOR



4830 Timber Creek Drive,
Houston, TX 77017
P: 713.946.4343
F: 713.946.4441
www.pal-lighting.com

PAL
ARCHITECTURAL