



**PAL**  
ARCHITECTURAL  
PALADIA PERIMETER



# PALADIA PERIMETER

INTRODUCING THE PALADIA LED SYSTEM, AN ADA-COMPLIANT, INDIRECT PERIMETER SERIES THAT EFFECTIVELY ILLUMINATES YOUR SPACE WHILE REDUCING CEILING CLUTTER.

- Efficacies as high as 110 lumens/watt
- Easy to install fixture
- Strong enough output to light a room or corridor without help from ceiling fixtures
- Fixture ideal for existing structures looking for a lighting face lift. Especially those that want to get indirect light and get rid of direct glare
- Color matching option
- RGBW and tunable white
- Lens option to keep debris out of fixture
- Bare Cove Fixture option for easy install into a cove
- Dimming to 1% as standard, dim-to-dark also available.
- Delivered lumens of 681/foot at medium output, 1,069/foot at high output
- Excellent asymmetric distribution that illuminates without the need for supplemental ceiling fixtures
- Fully programmable drivers allow for customized light output to match your application
- Minimum Color Rendering Index (CRI) available in 80 or 90 CRI.



A stylish, glare-free solution offering unlimited runs of virtually any length with fully lit corners to give you complete design control.

The perimeter LED light source that provides a continuous line of unbroken light.

Four different fascia options to complement the style of your space.

High-quality extruded aluminum construction and precision die castings ensure the high level of quality you and your customers expect.



## DISTRIBUTION CURVES



(ALL FASCIA STYLES)

WITH DUST-COVER    WITHOUT DUST-COVER

High Output = 904 Lms/Ft  
Input Power = 7 W/Ft  
Efficacy = 130 LM/W

Medium Output = 615 Lms/Ft  
Input Power = 5 W/Ft  
Efficacy = 134LM/W

Custom Outputs available.  
Contact Factory.




High Output = 1006 Lms/Ft  
Input Power = 7 W/Ft  
Efficacy = 145 LM/W

Medium Output = 683 Lms/Ft  
Input Power = 5 W/Ft  
Efficacy = 148LM/W




Custom Outputs available.  
Contact Factory.






# PALADIA PERIMETER






STEPPED






SQUARE



ROUND





CLASSICAL



L900

L901



4830 Timber Creek Drive,  
Houston, TX 77017  
P: 713.946.4343  
F: 713.946.4441  
[www.pal-lighting.com](http://www.pal-lighting.com)

**PAL**  
ARCHITECTURAL