



## Important safety instructions - read and follow all safety instructions.

- To reduce risk of personal injury, property damage, or death due to fire, electrical shock, falling parts, and other hazards please read and follow all warnings and instructions included with this product.
- All installation and servicing of luminaires should ONLY be performed by a qualified licensed electrician.
- NEVER install a damaged product. The luminaire(s) have been packed properly and assembled so that there is no damage while in transit. Always inspect any luminaire and/or mounting equipment before handling.
- Any damaged products MUST be left alone and reported to PAL Architectural as soon as possible.



- ALWAYS disconnect or shut off power before installation or servicing.
- · Verify supply voltage is correct and matches luminaire label information.
- Ensure ALL electrical connections are grounded and secured in accordance with the National Electrical Code (NEC) and any additional local codes.
- · EVERY connection must utilize UL approved wire connectors.
- · ALLOW luminaire to fully cool before handling, never touch light source directly until fully cooled.
- NEVER exceed maximum wattage as outlined on luminaire.
- · MUST follow ALL warnings, restrictions, recommendations, and disposal instructions on all electrical components within the luminaire.


PG. 2: SUSPENDED - AIRCRAFT CABLE
PG. 3: SUSPENDED - STEM/ROD
PG. 4: SURFACE / CEILING MOUNT
PG. 5: RECESSED MOUNT - 3" - 3.6" lasso width
PG. 6: RECESSED MOUNT - 3.8" - 6" lasso width




## SUSPENDED - AIRCRAFT CABLE


- 1 Beam or support
- 2 Fastener
- 3 Ceilina
- Rollerball barrel
- Suspension Wire
- Clutch
- **Endplate**
- Diffuser


Installer must ensure that the slot orientation in ceiling barrel allows suspension wire to remain perpendicular at all times in all orientations.






























2







## SUSPENDED - STEM/ROD


- 1 Ceiling Mount
- 2 Tube Top
- 3 Tube
- 4 Tube Bottom Connector
- 5 Lock Nuts
- 6 Rod Bracket
- 7 Luminaire







Determine mounting location.
























3


## SURFACE / CEILING MOUNT


- 1 Beam or support
- 2 Ceiling
- 3 Fastener
- 4 Geartray
- 5 Profile wall
- 6 Light engine
- 7 Diffuser







Determine mounting location.



















RECESSED MOUNT - 3" - 3.6" lasso width


- Beam or support
- 2 Ceiling
- 3 Fastener
- 4 Geartray
- 5 Profile wall
- 6 Light engine
- 7 Diffuser








Determine mounting location.























RECESSED MOUNT - 3.8" - 6" lasso width

- Beam or support
- 2 Ceiling
- 3 Fastener
- 4 Geartray
- 5 Profile wall
- 6 Light engine
- 7 Diffuser





Determine mounting location.

